



# Wall-Mount Server Rack - 4U

Product ID: RK419WALVO



The RK419WALVO 4U 19-inch Steel Side Mount Rack is a Wall Mountable 4U solid steel rack, providing a robust solution for mounting your telecom, network or server equipment. This TAA compliant product adheres to the requirements of the US Federal Trade Agreements Act (TAA), allowing government GSA Schedule purchases.

This server rack can be mounted in a server room, office, or above a doorway in rooms lacking the floor space for a full-size rack, expanding your workspace and keeping your equipment easily accessible.

The rack is constructed to EIA-RS310 standards and allows equipment to be mounted vertically - nonrackmount equipment can be installed using the rack as a wall case.

The bracket mounting holes (used to mount to a wall or the desk underside) are positioned at exactly 16inches apart, matching standard construction stud measurements for easy installation.

Backed by a StarTech.com Lifetime warranty.



### **Data Sheet**

#### Certifications, Reports and Compatibility





#### Applications

- Mount servers and telecommunication equipment flush against the wall
- Perfect for installing network switches out of the way and high up on a wall in a branch office, warehouse, or retail supercenter
- Install a blade server anywhere in an office without a full server room
- Ideal for small and medium businesses requiring small rack solutions dispersed throughout the organization

#### Features

- Includes optional 4U steel plate that allows rack to be used as a wall case/shelf for any non-rackmount equipment
- Wall mounting holes are 16" center to center for greater stability, and mounting to standard wall studs
- TAA compliant for GSA Schedule purchases
- Compatible with most 19" wide rack mountable equipment
- Made from solid steel for durability
- Constructed to meet the EIA-RS310 19" rack standards

# StarTechcom

Hard-to-find made easy\*

## **Data Sheet**

	Warranty	Lifetime
Hardware	Adjustable Mounting Rails	No
	Cable Management	No
	Casters	No
	Fan(s)	No
	Frame Type	Open Frame
	Front Door Construction	Open
	Industry Standards	EIA-310-D
		EIA RS310-D
	Ladder Type	L-Shape
	Mounting Holes	Square
	Number and Type of Included Cage Nuts	16 - 10-32
	Rack Type	2-Post
	Tools Included	No
	U Height	4U
	U Markings	No
	Wallmountable	Yes
Performance	Weight Capacity (Stationary)	61.2 lb [27.7 kg]
Physical Characteristics	Color	Black
	Enclosure Type	Steel
	External Depth	22 in [558 mm]
	External Height	8.2 in [209 mm]
	External Width	19.8 in [504 mm]
	Internal Depth	19.5 in [496 mm]
	Internal Width	19.5 in [496 mm]
	Minimum Mounting Depth	18.7 in [475 mm]
	Product Height	8.2 in [209 mm]
	Product Length	22 in [558 mm]
	Product Weight	22.3 lb [10.1 kg]
	Product Width	19.8 in [504 mm]
	Rail Thickness	0.1 in [2 mm]



**Data Sheet** 

Packaging Information	Flat Pack (Assembly Required)	No
	Shipping (Package) Weight	26 lb [11.8 kg]
What's in the Box	Included in Package	1 - RK419WALVO 4U Wallmount rack
		8 - #10-32 Panel Screws

Product appearance and specifications are subject to change without notice.