



KRAMER

BC-UNIKAT

CAT6A U/FTP Video & LAN Bulk Cable -
Low Smoke & Halogen Free

| Ethernet - RJ-45 | DGKat | HDBaseT



The Kramer BC-UNIKAT cable is a unified CAT6a cable that handles all Pro AV and IT signals. Over four individually screened twisted pairs, this U/FTP CAT6A cable runs Kramer's DGKat™ technology, 4K HDBaseT™ technology or LAN applications and ensures optimal signal performance

FEATURES

Quality Construction - 4 shielded twisted pairs (U/FTP) of 23AWG solid copper conductors are cabled together in an unshielded outer jacket

Optimized for Kramer Hardware - Use with any of Kramer's wide range of twisted pair digital transmitter-receiver sets. Terminate with shielded transmitter-receiver sets (DGKat™ and HDBaseT) and shielded RJ-45 connectors

HDBaseT Recommended - www.hdbaset.org/hdbaset-recommended-cables/

RJ-45 Connector - The larger diameter 23AWG twisted pair cable requires a suited RJ-45 connector. Use the K-LAN CON-RJ45-3

Length - Available in reel boxes of 100m (328ft) & wooden drums of 305/500m (1000/1640ft)



TECHNICAL SPECIFICATIONS

CONDUCTORS

Material: Annealed copper

Diameter: 0.56mm \pm 0.01mm

INSULATION

Diameter: 1.33mm \pm 0.10mm

Color Code: White/Blue, White/Orange, White/Green, White/Brown

SCREENING

DRAIN WIRE

Diameter: 0.4mm \pm 0.01mm

JACKET

Color: Blue RAL 5012

Thickness: \geq 0.5mm

Diameter: 7.2mm \pm 0.2mm

ELECTRICAL

Propagation Velocity (NVP): 76%

Voltage Rating: 30V

Delay Skew: $<$ 45ns

Mutual Pair Capacitance: \leq 42pF/m

Capacitance Unbalance Pair/ground: \leq 1500pF/km

Conductor DC Resistance: $<$ 79.8 Ω /km

Pair Resistance Unbalance DC: $<$ 1.5%

Dielectric Strength: 2.5kV DC (2s)

Insulation Resistance (500V): $>$ 5000M Ω /km

USAGE AND ENVIRONMENTAL

Operation Temperature: -20°C to $+60^{\circ}\text{C}$

MECHANICAL

Bending Radius - Installed: 50mm

Bending Radius - During Installation: 60mm

STANDARDS COMPLIANCE - EC VERIFIED

Fire Performance: IEC 60332-1
Smoke Density: IEC 61034
Halogen Free: IEC 60754
RoHS: 2011/65/EU



KRAMER

CONFIGURATIONS

| | |
|------------------------|---|
| BC-UNIKAT/LSHF-100M | 23 AWG U/FTP CAT6A Bulk Cable Optimized for Kramer's DGKat, HDBaseT and LAN applications (Blue) |
| BC-UNIKAT/LSHF-305M | 23 AWG U/FTP CAT6A Bulk Cable Optimized for Kramer's DGKat, HDBaseT and LAN applications (Blue) |
| BC-UNIKAT/LSHF-500M | 23 AWG U/FTP CAT6A Bulk Cable Optimized for Kramer's DGKat, HDBaseT and LAN applications (Blue) |
| BC-UNIKAT/LSHF/BK-305M | 23 AWG U/FTP CAT6A Bulk Cable Optimized for Kramer's DGKat, HDBaseT and LAN applications (Black) |
| BC-UNIKAT/LSHF/PR-305M | 23 AWG U/FTP CAT6A Bulk Cable Optimized for Kramer's DGKat, HDBaseT and LAN applications (Purple) |
| BC-UNIKAT/B2ca-305M | 23 AWG U/FTP CAT6A Bulk Cable Optimized for Kramer's DGKat, HDBaseT and LAN applications (Black jacket and Reaction to fire, in accordance with Regulation (EU) No 305/2011, B2ca-s1,d1,a1) |