# Poly EncorePro 515 USB-A Mono Headset

## Ready, headset, go

The EncorePro 500 Series smarter headsets let your employees take calls from home or office, regardless of how they connect to a PC. They're the first call center digital headsets to connect you to everything Teams has to offer, even while you're on a call. Hybrid working has never been easier.



\*Productimage may differ from actual product

**Built-in USB-A and USB-C® connectors**Answer soft-phone calls from any PC, no matter what kind of USB port you have.<sup>1</sup>

# Full backwards compatibility for legacy equipment

Work hassle-free across new and legacy equipment with QD models, or USB models with USB-A and USB-C® connectors right on the cable.<sup>12</sup> Remote firmware and cloud system updates Never worry about updates, thanks to remote firmware and cloud system updates.<sup>1</sup>

DATASHEET



# Poly EncorePro 515 USB-A Mono Headset

### **Specifications**



### Connectivity

Connection type: USB Type-A Ear cushions: Artificial leather (surface material) Headphone type: On-ear

#### **Audio**

Microphone type: Omnidirectional Microphone bandwidth: 35 Hz to 21 kHz Speaker bandwidth: 20 Hz to 20 kHz Speaker size: 5.6 mm Signal-to-noise ratio: >53 dB

Sensitivity (microphone): -40 +/-3 dB

#### Certifications

Certified collaboration software: Skype for Business Special features: UC certified

#### **Environmental**

### Weight and Dimensions

Product Primary Color: Black Weight (metric): 0.052 kg Product Dimensions (metric): 111 x 14.9 x 6.7 cm Package dimensions (metric): 19 x 17.5 x 5.5 cm Package Weight (metric): 0178 kg Cable length (metric): 208.5 cm Product number: 783R1AA

#### Key Selling Points Footnotes

<sup>1</sup>Available on USB models only.

<sup>2</sup> Available on QD models only

#### Technical Specifications Footnotes

1 SoundGuard Digital Plantronics owns sophisticated algorithms including: Protects against Acoustic Shock by limiting sounds to below 118 dBA; G616 anti-startle protection that limits the noise level to below 102 dB SPL and is therefore compliant to the Australian Communications Industry Forum (ACF) G616 recommendation; Average daily noise exposure measures and controls sound to prevent the average daily sounds exposure from exceeding 80 dBA or 85 dBA time-weighted  $\overset{\cdot}{\text{average}}\text{(TWA)}.$   $^2\text{Requires Poly Lens Desktop App to enable SoundGuard Digital features.}$ 

