

Dual Monitor USB 3.0 Laptop Docking Station with HDMI/DVI/VGA, 3x USB-A Hub, GbE, Audio, Universal Type-A Dock for Windows/macOS/ChromeOS - TAA Compliant

**Product ID:** USB3SDOCKHDV



This USB 3.0 dock combines three USB 3.0 ports, headphone and microphone audio connectors, and a Gigabit Ethernet RJ45 port, into a single docking station for maximum productivity.

Offering flexible dual video combinations right out-of-the-box, this universal laptop docking station features HDMI, DVI and VGA external monitor outputs. Each video output supports HD video resolutions (2048x1152 max) and HD video playback for an ideal solution to expanding your notebook's video capability.

Available display combinations:

- HDMI + VGA
- HDMI + DVI


The built-in USB hub features three USB 3.0 ports for connecting extra peripherals such as external hard drives or a wired mouse, as if they are connected directly to your laptop.

The integrated RJ45 Ethernet port supports speeds of 10/100/1000 Mbps, giving you an instant connection to a wired network.

StarTech.com laptop docking stations can be used for cost savings and faster deployment with just a single cable. This USB 3.0 Docking Station is backed by a competitive 3-year warranty and free lifetime Technical Support.

## Certifications, Reports and Compatibility





## Applications

- Shared workspaces
- Hot/Remote desks
- Convert laptop to desktop workstation

## Features

- **UNIVERSAL DUAL MONITOR DOCKING STATION:** USB 3.0 docking station features HDMI, VGA, and DVI outputs for broad display compatibility; Supports up to 1920x1080 (HDMI), 1920x1200 (DVI-D), and 2048x1152 (VGA); This dual monitor dock is TAA compliant
- **INCREASED PRODUCTIVITY:** This dual monitor docking station combines 3x USB 3.2 Gen 1 (5Gbps) ports, headphone & mic audio jack, and a Gigabit Ethernet RJ45 port into a single IT-grade dock; Connect directly to older VGA and DVI monitors without adapters
- **VERSATILE DESIGN:** The high performance dock features a sleek design that is the ideal addition to any home or office workstation; This dock enhances your laptop's capabilities while taking up little desk space; Includes 3ft (0.9m) USB 3.2 Gen 1 host cable
- **UNIVERSAL COMPATIBILITY:** Compatible with Windows, macOS, & ChromeOS, enabling extended dual displays on laptops, Chromebooks and MacBooks that feature a USB-A host connection such as X1 Carbon, ThinkPad, Latitude, Precision, XPS 15, Spectre, and ZBook
- **CONNECTIVITY TOOLS:** Optimize the performance and security of this docking station, using the included MAC Address Changer, USB Event Monitoring, Windows Layout & Wi-Fi Auto Switch utilities (available for download)

---

### Hardware

Warranty	3 Years
4K Support	No
Fast-Charge Port(s)	No
Displays Supported	2
Bus Type	USB 3.2 Gen 1 (5Gbps)

Industry Standards	IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, USB 3.0
Chipset ID	DisplayLink - DL-3900
	Genesys Logic - GL3520
	Realtek - RTL8211F

---

## Performance

Maximum Data Transfer Rate	5 Gbps (USB 3.0) 2 Gbps (Ethernet; Full-Duplex)
Maximum Analog Resolutions	2048x1152 (VGA)
Maximum Digital Resolutions	1920x1200 (DVI-D) 1920x1080 (HDMI) Lower resolutions are also supported.
Audio Specifications	The HDMI port supports audio output
Type and Rate	USB 3.0 - 5 Gbit/s
Compatible Networks	10/100/1000 Mbps
Auto MDIX	Yes
Full Duplex Support	Yes

---

## Connector(s)

Connector Type(s)	2 - 3.5 mm Mini-Jack (3 Position) 1 - DVI-D (25 pin) 1 - HDMI (19 pin) 1 - RJ-45 3 - USB Type-A (9 pin, 5 Gbps) 1 - USB 3.2 Type-B (9 pin, Gen 1, 5Gbps) 1 - VGA (15 pin, High Density D-Sub)
-------------------	---

---

## Software

OS Compatibility	Windows XP SP3 (32-bit), Vista, 7, 8, 8.1, 10, 11 macOS 10.6 - 10.12, 10.14 - 10.15, 11.0, 12.0, 13.0, Chrome
------------------	--

v69+

---

**Special Notes / Requirements**

System and Cable Requirements	USB 3.0 enabled computer system with available USB 3.0 port
	HDMI (and either DVI-D or VGA if dual display is desired) enabled display device(s) e.g. monitor, projector, HTDVB, etc. with cables
	Available AC electrical outlet

---

**Power**

Power Source	AC Adapter Included
Input Voltage	100 - 240 AC
Input Current	0.9 A
Output Voltage	5 DC
Output Current	4 A
Center Tip Polarity	Positive
Plug Type	B
Power Consumption (In Watts)	20

---

**Environmental**

Operating Temperature	0C to 40C (32F to 104F)
Storage Temperature	-10C to 60C (14F to 140F)
Humidity	0~90% RH

---

**Physical Characteristics**

Color	Black
Material	Plastic
Cable Length	3.0 ft [0.9 m]
Product Length	12.0 in [30.4 cm]
Product Width	7.0 in [17.8 cm]

Product Height	1.7 in [4.4 cm]
Weight of Product	10.4 oz [295.0 g]

---

**Packaging Information**

Package Quantity	1
Package Length	11.7 in [29.6 cm]
Package Width	7.7 in [19.5 cm]
Package Height	2.6 in [6.6 cm]
Shipping (Package) Weight	1.9 lb [0.9 kg]

---

**What's in the Box**

Included in Package	1 - Docking Station
	1 - 0.9m USB 3.0 Cable
	1 - Universal Power Adapter (NA/EU/UK/AU)
	1 - Installation CD
	1 - Instruction Manual

---

***\*Product appearance and specifications are subject to change without notice.***